



Your Strategic Partner in Coffee Excellence

Gemilai®

THE 일이어람
**twelve
28TH**
COFFEE

KORYAIK 
COFFEE PROFESSIONAL

DF64
COFFEE

MILEST 

Together,
LET'S BREW



About Koryaiko

Since 2018, Koryaiko has been the trusted leader in the Philippines, bridging the gap between world-class equipment and passionate brewers.

As the Official Distributor of Gemilai, Milesto, and DF64, we guarantee 100% authentic units with full technical support.

Our Product Range

From home espresso setups to high-volume commercial café systems, we provide the complete spectrum: machines, precision grinders, and accessories.

Koryaiko offers a complete spectrum of equipment for both home and commercial use. Every product is carefully chosen to balance innovation, quality, and design—making us the preferred partner nationwide.

Our Vision

More than a distributor, Koryaiko is dedicated to building a strong coffee community. We aim to inspire excellence by combining aesthetic appeal with functional performance, helping our partners craft unforgettable coffee moments.

With adaptability, efficiency, and passion at our core, we strive to go beyond expectations—serving as a true partner in your coffee journey.



OFFICIAL

DISTRIBUTOR



Showroom

The Strip Mall, Circulo Verde, Quezon City
10 AM to 9 PM, Monday to Sunday

Riverbanks Mall, Marikina City
10 AM to 9 PM, Monday to Sunday

G/F, District A Gov. M. Cuenco Ave, Cebu
10 AM to 8 PM, Monday to Sunday

Pink Walters Building, Ecoland, Davao City
Open Hours: 10 AM to 8 PM, Monday to Sunday

Service Center

Unit 3, 88 Eulogio Amang Rodriguez Avenue,
Santolan, Pasig City, Metro Manila
Monday to Saturday, 8 AM to 5 PM

Contact Us

Email: sales@koryaiko.com
Telephone: 02 8848 9547
Call/Viber/WhatsApp: 0945 840 0188



Follow Us

koryaiko.com
[koryaikophilippine](https://www.instagram.com/koryaikophilippine)
[Koryaiko Philippine](https://www.facebook.com/KoryaikoPhilippine)
[koryaiko](https://www.tiktok.com/koryaiko)

开启智萃时代
锅炉系统2代升级
互联 支持在线驱动
自定义编程与存储



Commercial-use Espresso Machine



Gemilai[®]
Let's catch up











Color: Ivory White / Gray

Core Function

- Complex multi-boiler system, with a patented flagship boiler system
- Dual saturated E61 group head with precise temperature control, ensures accurate extraction temperature
- Variable pressure controlled by flow adjustment rod, allowing manual adjustment of pre-infusion / extraction pressure
- Convenient preset parameters like extraction temperature, flow, pre-infusion time, etc.
- Dual steam modes (manual / automatic) for flexible switching
- Streamlined design with illuminated back panel

Product Parameters

- Rated Power 4700W
- Rated Voltage/Frequency 220V~ 60Hz
- N.W/G.W
- 62.5kg/76.7kg
- Unit/CTN
- 768x487x582mm/860x728x745mm

 300mL Brew Boiler*2	 10.5L Heat Exchanger Steam Boiler	 Saturated E61 Group Head*2	 58mm Commercial Brewing System
 Rotary Pump	 Dual PID Temperature Control	 Touch Screen Display*2	 Coffee Pressure Gauge*2 Steam Pressure Gauge Pump & External Water Pressure Gauge

₱ **195,999.00**
Ex-Vat

COMMERICAL-USE COFFEE MACHINE



Core Function

- Multi-boiler system, dual brew boiler with independent temperature control
- Equipped with complex group head, water seamlessly pass, reducing the temperature loss during extraction
- New flow meter for programmable extraction doses, ensuring consistent quality for cafés
- Convenient preset parameters like extraction temperature, pre-infusion time, hot water time, etc.
- Adjustable extraction time, with switchable electronic / manual control modes
- Steam handle switch for effortless operation
- Minimalist design with LED side panel light and illuminated logo

Product Parameters

- Rated Power 4200W
- Rated Voltage/Frequency 220V~ 60Hz
- N.W/G.W
- 54.7kg/67.3kg
- Unit/CTN
- 678x550x528mm/838x682x641mm

Color: Cloud White / Titanium Gray



550mL Brew Boiler*2



5.5L Heat Exchanger Steam Boiler



Complex Group Head*2



58mm Commercial Brewing System



Rotary Pump



Dual PID Temperature Control



Touch Screen Display*2



Coffee Pressure Gauge Steam Pressure Gauge

₱ **129,999.00**
Ex-Vat

COMMERICAL-USE COFFEE MACHINE



Core Function

- Dual boiler system, independent heating for extraction and steam
- Equipped with complex group head, water seamlessly pass, reducing the temperature loss during extraction
- New flow meter for programmable extraction doses, ensuring consistent quality for cafés
- Convenient preset parameters like extraction temperature, extraction flow, pre-infusion time, hot water time, etc.
- Adjustable extraction time, with switchable electronic / manual control modes
- Steam handle switch for effortless operation
- Minimalist design with LED side panel light and illuminated logo



Product Parameters

- Rated Power 3200W
- Rated Voltage/Frequency 220V~ 60Hz
- N.W/G.W
- 43.6kg/51.8kg
- Unit/CTN
- 473x550x528mm/682x650x641mm

Color: Cloud White

- | | | | |
|-------------------|----------------------------------|----------------------|--|
| 550mL Brew Boiler | 5.5L Heat Exchanger Steam Boiler | Complex Group Head | 58mm Commercial Brewing System |
| Rotary Pump | Dual PID Temperature Control | Touch Screen Display | Coffee Pressure Gauge Steam Pressure Gauge |

₱ **95,999.00**
Ex-Vat

COMMERICAL-USE COFFEE MACHINE



Core Function

- Complex heat exchanger boiler system with complex group head, precise temperature control and exceptional continuous coffee production
- Equipped with complex group head, water seamlessly pass, reducing the temperature loss during extraction
- Convenient preset parameters like extraction temperature / extraction flow / hot water time, etc.
- Multi functional control panel buttons for better tactile sensation, with programmable parameters to create the perfect coffee shop SOP
- Universal rotary steam wand with dry steam supports different types of frothing techniques and encourages all kinds of latte art
- Dual pressure gauge for easy reading of steam and extraction pressure



Product Parameters

- Rated Power 4200W
- Rated Voltage/Frequency 220V~ 50/60Hz
- N.W/G.W
- 52.5kg/63.6kg
- Unit/CTN
- 850x565x525mm/940x645x690mm

Color: Ink Black



550mL Brew Boiler*2



10.5L Heat Exchanger Steam Boiler



Complex Group Head *2



58mm Commercial Brewing System



Rotary Pump



Dual PID Temperature Control



Display Screen*2



Coffee Pressure Gauge Steam Pressure Gauge

₱ **156,000.00**
Ex-Vat

COMMERICAL-USE COFFEE MACHINE



Color: Black | White

Core Function

- Multi-boiler system, dual brew boiler with independent temperature control
- Equipped with complex group head, water seamlessly pass, reducing the temperature loss during extraction
- Convenient preset parameters like extraction temperature, extraction time, hot water time, etc.
- Multifunctional control panel buttons for better tactile sensation
- Coffee and steam pressure gauges for easy reading of extraction and steam pressure
- Universal rotary steam wand with dry steam supports different types of frothing techniques and encourages all kinds of latte art

Product Parameters

- Rated Power 4200W
- Rated Voltage/Frequency 220V~ 60Hz
- N.W/G.W
- 44.7kg/55.7kg
- Unit/CTN
- 816x504x500mm/895x560x605mm



550mL Brew Boiler*2



5.25L Heat Exchanger Steam Boiler



Complex Group Head *2



58mm Commercial Brewing System



Rotary Pump



Dual PID Temperature Control



Display Screen*2



Coffee Pressure Gauge*2
Steam Pressure Gauge

₱ **115,000.00**
Ex-Vat

COMMERICAL-USE COFFEE MACHINE



NEW



Core Function

- Complex dual boiler system with saturated group head, 2nd-generation flagship boiler system
- New AquaTouch System
- 2.1-inch full-color round LCD display with new UI design
- Supports smart app control for remote operation, custom programming, and curve recording
- Integrates manual dynamic extraction, parameter adjustment, and full-process curve recording into one powerful tool - ideal for rapid flavor testing and development
- Physical buttons for a supercar-inspired tactile control experience
- Rapid-Tactile Preview Module is designed as the core interactive component for professional coffee machines
- Removable water tank (2.5 L) & automatic water supply and drainage system

Product Parameters

- Rated Power 2800W
- Rated Voltage/Frequency 220V~ 60Hz
- N.W/G.W
- 32kg/39kg
- Unit/CTN
- 344x498x394 mm/610x440x640 mm

Color: Titanium Grey | Ivory White

800mL Brew Boiler	2L Heat Exchanger Steam Boiler	Saturated Group Head	58mm Commercial Brewing System
Stepless Variable Speed Rotary Pump	Dual PID Temperature Control	2.1-Inch LCD Display	RTP Pressure Adjustment Knob

₱ **135,000.00**
Ex-Vat

COMMERICAL-USE COFFEE MACHINE

Multi-use Espresso Machine





Core Function

- Complex dual boiler system with independent temperature control allows simultaneous coffee extraction and milk frothing
- Saturated E61 group head with precise temperature control, ensures accurate extraction temperature
- Variable pressure adjusted by handle, explore diversified flavors with different formulas
- Convenient preset parameters like extraction temperature, steam temperature, pre-infusion time, etc.
- Premium walnut wood decorative accessories, presenting exquisite stainless steel vacuum plating technique
- Removable water tank (2.5L) & automatic water supply and drainage system



Product Parameters

- Rated Power 2900W
- Rated Voltage/Frequency 220V~ 50/60Hz
- N.W/G.W
- 28.5kg/36.2kg
- Unit/CTN
- 316x420x522mm/625x415x589mm

Color: Titanium Grey



300mL Brew Boiler



2L Heat Exchanger Steam Boiler



Saturated E61 Group Head



58mm Commercial Brewing System



Rotary Pump



Dual PID Temperature Control



Touch Screen Display



Coffee Pressure Gauge
Steam Pressure Gauge

₱ **105,000.00**
Ex-Vat

MULTI-USE COFFEE MACHINE



NEW

Core Function

- Dual boiler with independent temperature control, allowing simultaneous coffee extraction and milk frothing
- Equipped with complex group head, water seamlessly pass, reducing the temperature loss during extraction
- Rotary pump, ensuring reliable durability
- Automatic preset milk frothing temperature; NTC temperature sensor, expert in making latte
- Convenient preset parameters like extraction temperature / time / pre-infusion time, etc.
- Removable water tank(2.5L) & automatic water supply and drainage system

Product Parameters

- Rated Power 2500W
- Rated Voltage/Frequency 220V~ 60Hz
- N.W/G.W
- G3148B:23.3kg/29.8kg
- Unit/CTN
- 351x476x392mm/490x485x630mm



Color: Ivory White | Rock Gray



550mL Brew Boiler



1L Steam Boiler



Complex Group Head



58mm Commercial Brewing System



Rotary Pump



Dual PID Temperature Control



Touch Screen Display



Coffee Pressure Gauge
Steam Pressure Gauge

₱ **69,000.00**

Ex-Vat

MULTI-USE COFFEE MACHINE



Core Function









- Heat exchanger boiler system allows simultaneous coffee extraction and milk frothing
- E61 group head maintains consistent heat, offering more stable extraction
- Convenient preset parameters like boiler temperature, pre-infusion time, etc.
- Commercial 3-hole strong steam, flexible steam settings (manual or auto mode)
- Black walnut wood meets stainless steel, a collision of textures, an aesthetic design
- Removable water tank (1.7L) & automatic water supply



Product Parameters

- Rated Power 2050W
- Rated Voltage/Frequency 220V~ 60Hz
- N.W/G.W
- 23.6kg/29.9kg
- Unit/CTN
- 286x395x443mm/565x404x597mm

Color: Metallic Silver

 Stainless Steel Body	 2L Heat Exchanger Boiler	 E61 Group Head	 58mm Commercial Brewing System
 Vibration Pump	 PID Temperature Control	 Touch Screen Display	 Coffee Pressure Gauge

₱ **59,899.00**
Ex-Vat

MULTI-USE COFFEE MACHINE



Core Function









- Hybrid boiler system, allowing simultaneous coffee extraction and milk frothing
- Thermal balance group head balances temperature to minimize extraction differences
- Various adjustable parameters: extraction temperature, extraction time, water flowing to coffee bedtime, soaking time
- Steam controlled by an NTC temperature sensor; automatic preset for milk frothing temperature
- 1L steam boiler and adjustable steam temperature
- Design of independent hot water nozzle, hot water time can be adjusted
- 2.5L water tank and/or automatic water supply and drainage system

Product Parameters

- Rated Power 2900W
- Rated Voltage/Frequency 220V~ 60Hz
- N.W/G.W
- 15.7kg/21.9kg
- Unit/CTN
- 288x418x430mm/492x350x570mm



Color: Silver | White | Black

 Brew Thermoblock	 1L Steam Boiler	 Thermal Balance Group Head	 58mm Commercial Brewing System
 Vibration Pump	 Dual PID Temperature Control	 Touch Screen Display	 Coffee Pressure Gauge

₱ **42,599.00**

Ex-Vat

MULTI-USE COFFEE MACHINE



Core Function









- Dual boiler system, independent heating for extraction and steam
- Equipped with complex group head, water seamlessly pass, reducing the temperature loss during extraction
- Convenient preset parameters like extraction temperature / flow / pre-infusion time, etc.
- Coffee and steam pressure gauge are displayed independently, clearly visible at a glance
- Commercial 3-hole strong steam for higher frothing efficiency and richer milk foam
- Removable water tank (1.7L) & automatic water supply and drainage system



Color: Black | White

Product Parameters


- Rated Power 2350W
- Rated Voltage/Frequency 220V~ 60Hz
- N.W/G.W
- 22.6kg/27.5kg
- Unit/CTN
- 358x478x467mm/565x461x577mm

 550mL Brew Boiler	 1L Steam Boiler	 Complex Group Head	 58mm Commercial Brewing System
 Vibration Pump	 Dual PID Temperature Control	 Touch Screen Display	 Coffee Pressure Gauge Steam Pressure Gauge

₱ **40,999.00**
Ex-Vat

MULTI-USE COFFEE MACHINE

Home-use Espresso Machine





Core Function

- Hybrid Boiler System with dual 2550W heaters
- Dual Pumps for parallel heating – brew espresso and froth milk simultaneously
- Adjustable Dual-Mode OPV for stable pressure control
- Preset Milk Frothing Temperature for hands-free convenience
- Advanced Group Head Design minimizes temperature loss during extraction
- Convenient Preset Parameters: extraction temperature, steam temperature, water pre-infusion time, soaking time, etc.
- Portafilter Options: comes with a 58mm white oak double spout portafilter and a bottomless portafilter for flexibility
- Removable Water Tank (1.7L capacity)

Product Parameters

- Rated Power 2550W
- Rated Voltage/Frequency 220V~ 60Hz
- N.W/G.W
- 14kg/18kg
- Unit/CTN
- 265×335×376mm/365×399×497mm



Color: Ivory White / Rock Gray



550ml Brew boiler



Steam Thermoblock



Complex Group Head



58mm Commercial Brewing System



Vibration Pump*2



Dual PID Temperature Control



Touch Screen Display



Coffee Pressure Gauge

₱ **34,899.00**

Ex-Vat

MULTI-USE COFFEE MACHINE











Color: Cloud White

Core Function

- Independent thermoblock heats up, one thermoblock for brew, two thermoblocks for steam functions
- Digital display screen & coffee pressure gauge, designed to give a clear view of the extraction
- Adjustable extraction time
- Automatic pre-infusion function
- Made with 4 easy-to-use round mechanical buttons, start brewing with a simple touch
- Removable water tank (1.7L)

Product Parameters

- Rated Power 3000W
- Rated Voltage/Frequency 220V~ 60Hz
- N.W/G.W
- 14kg/18kg
- Unit/CTN
- 338x328x479mm/465x399x497mm

 Stainless Steel Body	 Brew Thermoblock	 Steam Thermoblock *2	 58mm Commercial Brewing System
 Vibration Pump	 NTC Temperature Sensor	 Touch Screen Display	 Coffee Pressure Gauge

₱ **29,899.00** Ex-Vat

MULTI-USE COFFEE MACHINE



Core Function








- Dual instant thermoblocks, delivering stronger performance, faster heating, and more stable extraction
- Dual pumps support simultaneous coffee extraction & milk steaming
- Equipped with Thermal Balance Group Head to minimize temperature fluctuations during brewing
- Adjustable pre-wetting & pre-infusion system for improved flavor extraction
- Dual PID temperature control ensures consistent coffee and steam output
- Touch Screen Display + Coffee Pressure Gauge for precise monitoring and easy adjustments
- Extended universal stainless steel steam wand with a 2-hole steam nozzle, easy to control and powerful for microfoam
- Convenient preset parameters such as extraction time, pre-infusion time, and descaling options
- Removable water tank (1.7 L) for ease of use

Product Parameters

- Rated Power 3000W
- Rated Voltage/Frequency 220V~ 60Hz
- N.W/G.W
- 12.4kg/15kg
- Unit/CTN
- 247×395×409mm/325x439x495mm



Color: Cloud White/ Metallic Silver

 Thermal Balance Group Head	 Brew Thermoblock	 Steam Thermoblock	 58mm Commercial Brewing System
 Vibration Pump	 PID Temperature Control	 Touch Screen Display	 Coffee Pressure Gauge

₱ **25,899.00** Ex-Vat

MULTI-USE COFFEE MACHINE



NEW











Color: Ivory White / Metallic Silver

Core Function

- A powerful 1700 W instant thermoblock, improved machine performance, more
- stable coffee production, and stronger steam
- Thermal balance group head balances temperature to minimize extraction differences, and the PTC heating and insulation function, start or stop as needed
- 2-Min refreshing cold brew. Powered by our exclusive, patented system
- OPV control for steady pressure extraction, with auto pressure relief at 11~12 bar
- Convenient preset parameters like hot brew & cold brew time/hot brew & steam temperature/pre-wetting & pre-infusion time, etc.
- Extended universal stainless steel steam wand & 2-hole steam nozzle, easy to control
- Removable water tank (1.7 L)

Product Parameters

- Rated Power 1700W
- Rated Voltage/Frequency 220V~ 60Hz
- N.W/G.W
- 7.8 kg/11.2 kg
- Unit/CTN
- 247×370×407 mm/448×292×554 mm

 Thermal Balance Group Head	 Brew Thermoblock	 Steam Thermoblock	 58mm Commercial Brewing System
 Vibration Pump	 PID Temperature Control	 Touch Screen Display	 Coffee Pressure Gauge

₱ **21,999.00**
Ex-Vat

MULTI-USE COFFEE MACHINE

G3003B

NEW!



Color: Stainless Steel

Core Function

- A smart digital touch screen, fully equipped with extraction/steam/hot water functions
- 2nd Gen pre-Infusion system: adjust the pre-wetting and pre-infusion time separately
- Visual coffee pressure gauge: monitors extraction pressure dynamics at a glance
- The upgraded double-layer pressurized filter basket(double cup) improves extraction efficiency
- Convenient preset parameters like extraction temperature/automatic extraction time/hot water time, etc.
- The 1-hole steam nozzle delivers moderate, stable steam flow, which is easier for beginners to control
- Removable water tank (1.7L)

Product Parameters

- Rated Power 1350W
- Rated Voltage/Frequency 220-240V~ 60Hz
- N.W/G.W
- 5.4kg/7.8kg
- Unit/CTN
- 220x308x315mm/264x465x378mm



Stainless Steel Body



Brew Thermoblock



Vibration Pump



NTC Temperature Sensor



Steam Thermoblock



58mm Commercial Brewing System



Touch Screen Display



Coffee Pressure Gauge



₱ **11,499.00**
Ex-Vat

HOME-USE COFFEE MACHINE



Core Function

- Independent thermoblock heats up, allowing one-click switching between coffee extraction and steam functions
- Digital display screen & coffee pressure gauge, designed to give a clear view of the extraction
- Adjustable extraction time
- Automatic pre-infusion function
- Made with 4 easy-to-use round mechanical buttons, start brewing with a simple touch
- Removable water tank (1.7L)



Product Parameters

- Rated Power 1450W
- Rated Voltage/Frequency 220-240V~ 60Hz
- N.W/G.W
- 4.5kg/6.5kg
- Unit/CTN
- 257x342x294mm/286*230*315mm

Color: Cloud White



Hard Plastic Body



Brew Thermoblock



Steam Thermoblock



58mm Commercial Brewing System



Vibration Pump



NTC NTC Temperature Sensor



Touch Screen Display



Coffee Pressure Gauge

Gemilai® COFFEE GRINDERS

Popular
Ivory White



Minimalist
Stainless Steel



All-Match
Cotton Cloud White




NEW

Core Function

- 60 mm stainless steel flat burr
- 0~12 level (60-scale) adjustment disk with rotary adjustment
- 80 g bean hopper capacity
- Built-in Plasma Generator, anti-static technology prevents powder splashing
- Touch-sensor grinding, sloped powder pouring
- Smart touch screen display with timed dosing



Product Parameters

- Rated Power 160W
- Rated Voltage/Frequency 220V~ 50/60Hz
- N.W/G.W
- 3.24 kg/6.5 kg
- Unit/CTN
- 104×223×313 mm/405×306×188 mm

Color: Misty Grey | Ivory White


 Stainless Steel
 Conical Burr

 12-level Grind Size
 Adjustment

 80g Bean
 Hopper Capacity

 Touch-sensor
 Grinding

 ₱ **10,880.00**

Ex-Vat

HOME-USE COFFEE GRINDER




Core Function

- 64mm stainless steel flat burr
- 0-10 level (50-scale) adjustment disk with push button adjustment
- 280g bean hopper capacity
- Equipped with an additional single dose hopper airblower, it can be used for storing beans and cleaning residual powder
- Built-in Plasma Generator, anti-static technology prevents powder splashing
- Timed grinding for single cup/ double cup
- Equipped with an additional plastic dosing cup, perfectly fits the portafilter holder



Product Parameters

- Rated Power 250W
- Rated Voltage/Frequency 220V~ 60Hz
- N.W/G.W 5.4kg/7kg
- Unit/CTN
- 175x367x226mm/464x286x240mm

Color: Misty Grey | Cotton Cloud White | Ivory White



Stainless Steel
Flat Burr 64MM



10-level Grind Size
Adjustment



250g Bean
Hopper Capacity



Touch-sensor
Grinding

₱ **11,899.00**

Ex-Vat

MULTI-USE COFFEE GRINDER


NEW


Color: Misty Grey | Ivory White

Core Function

- 64 mm stainless steel flat burr with DLC coating
- 1-11 level (50-scale) adjustment disk with rotary adjustment
- 450 g bean hopper capacity
- Equipped with an additional single dose hopper air blower, it can be used for storing beans and cleaning residual powder
- Built-in Plasma Generator, anti-static technology prevents powder splashing
- Equipped with an additional stainless steel dosing cup, perfectly fits the filter holder
- Timed grinding for single cup/double cup

Product Parameters

- Rated Power 350W
- Rated Voltage/Frequency 220V~ 60Hz
- N.W/G.W 9 kg/10.1 kg
- Unit/CTN
- 174×260×471 mm/525×315×225 mm


 Stainless Steel
 Flat Burr 64MM

 10-level Grind Size
 Adjustment

 450g Bean
 Hopper Capacity

 Touch-sensor
 Grinding

 ₱ **22,599.00**

Ex-Vat

COMMERCIAL COFFEE GRINDER

HOW TO MAKE COFFEE

with an

Espresso Machine



Use Good Water

Fill up your water reservoir. The best is spring water, but distilled water works too.



Power On

Turn on the espresso machine and ensure the boiler is hot.

The light on your machine will indicate when the machine is ready.



Dose Coffee

Use 14-18 grams of coffee beans for an espresso double. Use 7-9 grams for a solo. You can still use volumetric dosing, by weighing the scoops.



Grind Coffee

Grind your coffee finely.

The grind size is smaller than for drip coffee. The grind size is comparable to table salt, for a comparison.



Fill Portafilter

Dump your coffee grounds in the portafilter, aiming to distribute them evenly in the filter basket.

Lightly tap the portafilter to achieve perfect distribution.



Tamp It

Give it a good tamp, aim for about 30 pounds of pressure.



Start Brewing

Lock the portafilter onto the brew head of your machine and press the brew button.



Pull the Shot

Aim for a 25 seconds extraction time. Depending on how fine is coffee ground, this can vary up and down by 5 seconds.

MILEST





Core Function

- Smart touch LCD screen
- Smart systems within reach
- Pure Copper Boiler, more stable temperature control
- Four-hole steam nozzle
- Design of double-steam foam tube rod-key hot water
- Professional double group head coffee machine
- Take over sewage storage plate, simple and user-friendly design
- Professional-grade coffee maker for cafes/restaurants

Product Parameters

- Rated Power 4350W
- Rated Voltage/Frequency 220V~ 50/60Hz
- N.W/G.W
- 65kg/79kg
- Unit/CTN
- 600x420x700mm/750x560x832mm



Color: Silver & Wood



1.2L Brew Boiler



10L Steam Boiler



Saturated Group Head *2



58mm Commercial Brewing System



Rotary Pump



PID Temperature Control*3




Manual Brewing



Coffee Pressure Gauge
Steam Pressure Gauge

₱ **219,760.00**
Ex-Vat

COMMERICAL-USE COFFEE MACHINE



Core Function

- LED Screen to monitor the brewing , steam timer and settings
- Pure Copper Boiler, more stable temperature control
- Four-hole steam nozzle
- Dual boiler single group head
- Design steam foam tube and rod-key hot water
- Take over sewage storage plate, simple and user-friendly design
- Professional-grade coffee maker for cafes/restaurants

Product Parameters

- Rated Power 2550W
- Rated Voltage/Frequency 220V~ 50/60Hz
- N.W/G.W
- 40kg/55kg
- Unit/CTN
- 360x420x380mm/490x560x520mm



Color: Wood-Silver | Wood-White | Black- Silver



1L Brew Boiler



3.2L Steam Boiler



Saturated Group Head



58mm Commercial Brewing System



Rotary Pump



PID Temperature Control*3



Manual Brewing



Coffee Pressure Gauge
Steam Pressure Gauge

₱ **85,000.00**
Ex-Vat

COMMERICAL-USE COFFEE MACHINE



Core Function









- Dual Copper Boiler System – 0.85L brewing boiler + 1.8L steam boiler for enhanced thermal stability.
- Rotary Pump (9 bar) – Equipped with VED Italy technology for consistent pressure and smooth extraction.
- VFE Converter System – Optimized performance for improved water flow control.
- LCD Water Flow Control – Achieve ultimate precision with adjustable settings.
- 99.9% Coupling Efficiency – Ensures a tight and secure fit for long-term durability.
- Affordable & High Quality – Get premium performance without breaking the bank



Product Parameters

- Rated Power 1750W
- Rated Voltage/Frequency 220V~ 50/60Hz
- N.W/G.W
- 32kg/49kg
- Unit/CTN
- 286x429x345mm/350x560x420mm

Color: Black | Cloud White

 0.85L Brew Boiler	 1.8L Steam Boiler	 Saturated Group Head	 58mm Commercial Brewing System
 Rotary Pump	 PID Temperature Control*3	 Manual Brewing	 Coffee Pressure Gauge Steam Pressure Gauge

₱ **82,999.00**
Ex-Vat

COMMERICAL-USE COFFEE MACHINE



Core Function

- Dual copper boiler for steaming and water
- Steam is designed to be placed DIRECTLY on the GROUP HEAD to help maintain a more stable temperature
- Preinfusion adjustable
- 3 holes steam jet nozzle with 360 rotating design
- With a barometer, one can know the pressure when making coffee, the other monitor the steam and hot water
- Stainless steam and water pipe for cappuccino and hot water
- Removable drip tray for easy cleaning;
- Top cover cup-warming plate and adjustable non-slip feet

Product Parameters

- Rated Power 2550W
- Rated Voltage/Frequency 220V~ 50/60Hz
- N.W/G.W
- 40kg/54kg
- Unit/CTN
- 320x440x450mm/380x560x490mm



Color: Wood | White



1L Brew Boiler



2.5L Steam Boiler



Saturated Group Head



58mm Commercial Brewing System



Rotary Pump



PID Temperature Control*3



Manual Brewing



Coffee Pressure Gauge
Steam Pressure Gauge

₱ **79,000.00**
Ex-Vat

COMMERICAL-USE COFFEE MACHINE



Core Function

- Rotary Pump: stable pressure for consistent extraction.
- Dual copper boiler for steaming and water
- Variable Flow Extraction (VFE): more control for richer flavours
- Digital Display: adjust your settings easily for your perfect cup.
- 3 holes steam jet nozzle with 360 rotating design
- With a barometer, one can know the pressure when making coffee, the other monitor the steam
- Adjustable Temperature & Pre-Infusion: fine-tune your shot every time
- Removable drip tray for easy cleaning;
- Top cover cup-warming plate and adjustable non-slip feet

Product Parameters

- Rated Power 2550W
- Rated Voltage/Frequency 220V~ 50/60Hz
- N.W/G.W
- 31.7kg/40kg
- Unit/CTN
- 303x420x405mm/420x500x450mm

Color: Black Yellow | White Coffee



0.75L Brew Boiler



1.8L Steam Boiler



Saturated Group Head



58mm Commercial Brewing System



Rotary Pump



PID Temperature Control*3



Auto Brewing



Coffee Pressure Gauge
Steam Pressure Gauge

₱ **71,899.00**

Ex-Vat

COMMERICAL-USE COFFEE MACHINE



Core Function









- Dual copper boiler for steaming and water
- Steam is designed to be placed DIRECTLY on the GROUP HEAD to help maintain a more stable temperature
- Preinfusion adjustable
- 3 holes steam jet nozzle with 360 rotating design
- With a barometer, one can know the pressure when making coffee, the other monitor the steam and hot water
- Stainless steam and water pipe for cappuccino and hot water
- Removable drip tray for easy cleaning;
- Top cover cup-warming plate and adjustable non-slip feet

Product Parameters

- Rated Power 2400W
- Rated Voltage/Frequency 220V~ 50/60Hz
- N.W/G.W
- 35kg/44kg
- Unit/CTN
- 470x300x500mm/520x400x550mm



Color: Wood | White

- | | | | |
|--|---|--|---|
|  0.65L Brew Boiler |  1.5L Steam Boiler |  Saturated Group Head |  58mm Commercial Brewing System |
|  Rotary Pump |  PID Temperature Control*3 |  Manual Brewing |  Coffee Pressure Gauge
Steam Pressure Gauge |

₱ **68,000.00**
Ex-Vat

COMMERICAL-USE COFFEE MACHINE



Color: Wood | White

Core Function

- Dual boiler system
- 540CC pure copper boiler
- Same time brewing and steaming
- LCD Screen display temperature and timer
- Adjustable Pre infusion and Brewing Temperature
- OPV Outside Design which allow you to adjust the brewing pressure easily
- 3 Hole steam tip, more dry and strong stream
- Independent Hot Water

Product Parameters

- Rated Power 2550W
- Rated Voltage/Frequency 220V~ 50/60Hz
- N.W/G.W
- 20kg/28kg
- Unit/CTN
- 340x340x360mm/400x400x490mm



0.54L Brew Boiler



Steam Thermoblock



Saturated Group Head



58mm Commercial Brewing System



Vibration Pump



Dual PID Temperature Control



Manual Brewing



Coffee Pressure Gauge

₱ **34,599.00**

Ex-Vat

MULTI-USE COFFEE MACHINE



Core Function

- PID precise temperature control, commercial pre-soaking technology
- Coffee Boiler + Independent Steam Pipe. Separate boilers for coffee extraction and steam ensure temperature stability
- External OPV Adjustment & “Magic Hand” Function + LCD Display
- Powerful milk steaming; Froth milk time is 20–30 sec
- LCD display, removable 3L water tank, and compact footprint for flexible placement
- Embedded Brewing Head. It can reduce temperature loss and keep the best temperature and taste of coffee
- Stainless steel body with copper components for enhanced heat retention and long life
- New Metal Plating Toggle Switch



Product Parameters

- Rated Power 2450W
- Rated Voltage/Frequency 220V~ 50/60Hz
- N.W/G.W
- 16kg/20kg
- Unit/CTN
- 290x290x350mm/380x400x450mm

Color: White | Black



0.52L Brew Boiler



Steam Thermoblock



Saturated Group Head



58mm Commercial Brewing System



Vibration Pump



Dual PID Temperature Control



Magic Brewing



LED Pressure Gauge

₱ **30,899.00**

Ex-Vat

PROFESSIONAL COFFEE MACHINE

The grinder

**THE SOUL OF
ESPRESSO**



Core Function

- Heavy-Duty Commercial Build – Designed to endure the rigors of cafés, roasteries, and high-volume environments
- Grind-by-Weight Precision – Delivers accurate, consistent dosing with minimal mess
- 74mm Italian Steel Burrs – Optimized for exceptional grind uniformity and flavor clarity
- Lower Burr Adjustment – Enhances alignment and reduces retention for more consistent results
- High-Output Motor – Effortlessly grinds 10–19 kg per hour for peak performance
- Low Retention Design – Minimizes coffee waste and maximizes flavor integrity



Color: Black | White

Product Parameters

- Rated Power 450W | 1400 RPM
- Rated Voltage/Frequency 220V~ 60Hz
- N.W/G.W 15.5kg/18.5kg
- Unit/CTN
- 410 × 250 × 635 mm/610 × 280 × 430 mm



Italy Steel Flat Burr 74MM



Stepless adjustment



1.2kg Bean Hopper Capacity



Auto Led Grinding by time/ weight

₱ **39,899.00**

Ex-Vat

COMMERCIAL COFFEE GRINDER

Commercial use
COFFEE GRINDER
ZF83

FAST GRINDING



Color: Black | White

Core Function

- Hopper capacity holds up to 1000 grams of beans
- Touchscreen display enables easy operation and settings control
- Grinds 10–15 kg of coffee per hour efficiently
- Micro adjust knob provides precise grind size control
- Stepless settings allow infinite grind size adjustments
- Motor includes a thermal protector to prevent overheating
- Temperature and humidity sensors ensure optimal grinding conditions
- Automatically grinds single and double shots with additional monitoring displays

Product Parameters

- Rated Power 500W
- Rated Voltage/Frequency 220V~ 60Hz
- N.W/G.W 12.6kg/14.6kg
- Unit/CTN
- 320x160x625mm/550x235x495mm



DLC
Flat Burr 83MM



Stepless Grind Size
Adjustment



1kg Bean
Hopper Capacity



Auto Led
Grinding

₱ **38,949.00**

Ex-Vat

COMMERCIAL COFFEE GRINDER



Core Function

- Adjustable Grind-by-Weight – Set precise grind durations for consistent dosing
- On-Demand Grinding – Select from automatic single, double shot, or manual mode
- High-Precision Adjustment – Micro-adjust knob allows fine control over grind size
- Thermally Protected Motor – Ensures long-lasting, stable performance
- Grind Temperature Display – Monitor the coffee powder temperature in real time
- Adjustable Portafilter Holder – Fits various portafilter sizes for hands-free grinding



Color: Black | White

Product Parameters

- Rated Power 350W
- Rated Voltage/Frequency 220V~ 60Hz
- N.W/G.W 13kg/15kg
- Unit/CTN
- 160x290x510mm/220x310x590mm



DLC
Flat Burr 64MM



Stepless Grind Size
Adjustment



1.2kg Bean
Hopper Capacity



Auto Led
Grinding
by time/ weight

₱ **29,899.00**

Ex-Vat

COMMERCIAL COFFEE GRINDER



Core Function

- Commercial-Grade Performance – Designed for high-volume, professional use
- 74mm DLC Flat Burrs – Ensures consistent grind size and enhanced durability
- Brushless Motor – Delivers efficient, long-lasting performance with reduced noise
- Adjustable Grinding Speed – Allows precise control for a wide range of brewing methods
- Ideal for Professional Environments – Perfect for cafés, roasteries, and specialty coffee shops



Product Parameters

- Rated Power 230W/400-1600RPM
- Rated Voltage/Frequency 220V~ 60Hz
- N.W/G.W 8kg/10kg
- Unit/CTN
- 270x180x531mm/455x380x235mm

Color: Black | White



DLC Flat Burr 74MM



Stepless Grind Size Adjustment



1kg Bean Hopper Capacity



Auto Led Grinding

₱ **27,599.00**

Ex-Vat

COMMERCIAL COFFEE GRINDER



Core Function

- High-Sensitivity LCD Display with durable toughened glass
- Automatic Cup Counter to track the number of grind cycles
- Real-Time Display of temperature, humidity, and date
- Maintenance Reminders for burr replacement and cleaning
- Multifunction Interface with multiple language options for user-friendly operation
- Illuminated Grind Chute for clear visibility during use
- Premium 64mm Flat Burrs, imported from Italy, for precise and consistent grinding
- Four Grinding Modes: Standard, Automatic, Pre-Set, and Manual Selection



Color: Black | White

Product Parameters

- Rated Power 350W/1400 RPM
- Rated Voltage/Frequency 220V~ 60Hz
- N.W/G.W 12.5kg/14kg
- Unit/CTN
- 300x210x560mm/364x250x620mm



Italy Steel Flat Burr 64MM



100 fine adjustment scales



1.2kg Bean Hopper Capacity



Auto Led Grinding

₱ **25,000.00**
Ex-Vat

COMMERCIAL COFFEE GRINDER



Core Function

- Premium Craftsmanship – Features high-quality construction with a simple, elegant design
- User-Friendly LED Control Panel – Automatic operation for ease of use; equipped with durable, imported hardened steel burrs
- Adjustable Grind Settings – Suitable for various brewing methods including French press, siphon, pour-over, and espresso
- Durable Build – Made from robust aluminum alloy for long-lasting performance



Color: Black | White

Product Parameters

- Rated Power 500W/1450 RPM
- Rated Voltage/Frequency 220V~ 60Hz
- N.W/G.W 13kg/14kg
- Unit/CTN
- 400x250x590mm/450x300x620mm



Stainless Steel Flat Burr 64MM



19-level Grind Size Adjustment



1.5kg Bean Hopper Capacity



Auto Led Grinding

₱ **19,899.00**

Ex-Vat

COMMERCIAL COFFEE GRINDER



Core Function

- Heavy-duty die-cast aluminum body
- Powered by low speed, high torque silent motor
- Stainless steel powder outlet port
- 3.5" touch screen LCD display
- Real-time monitoring and humidity display
- Operated by touch screen or micro switch
- Set the grind time for single cup and double cup manually, with an average grinding speed of 1.5-2.5 grams per second
- Stepless Setting, more realizable and accurate



Product Parameters

- Rated Power 250W/2000 RPM
- Rated Voltage/Frequency 220V~ 60Hz
- N.W/G.W 5.5kg/6.5kg
- Unit/CTN
- 220x140x470mm/254x150x520mm

Color: Black | White



Stainless Steel Flat Burr 64MM



8-Level Grind Size Adjustment



1KG Bean Hopper Capacity



Auto Led Grinding

₱ **12,899.00**

Ex-Vat

COMMERCIAL COFFEE GRINDER



Core Function

- Brushless DC Motor & Variable Speed – Adjustable from 300 to 1600 RPM for full control over grinding speed
- High Torque Quiet Start – Powerful motor designed to handle light beans without stalling
- Plasma Generator (Ionizer) – Reduces static buildup in the exit chute
- Prebreaker Auger – Maintains consistent bean feeding, especially at lower RPMs
- Anti-Popcorn Disc – Minimizes bean movement to improve grinding efficiency
- True Zero Retention – Retains less than 0.1 gram of grounds without the need for a bellows.
- Stepless Adjustment – Large dial for precise grind size control from fine to coarse
- Quiet Performance – Engineered for low noise operation



Color: Black

Product Parameters

- Rated Power 680W/300-1600 RPM
- Rated Voltage/Frequency 220V~ 60Hz
- N.W/G.W 8.85kg/10kg
- Unit/CTN
- 125x55x135mm/400x200x430mm



DLC
Flat Burr 83MM



Stepless Grind Size
Adjustment



50g Bean
Hopper Capacity



Manual
Grinding



Core Function

- Low Retention (Single Dose) – The DF83’s streamlined design minimizes ground retention, ensuring fresh coffee with every dose.
- Great Value – It’s one of the most affordable 83mm flat burr grinders on the market.
- Fast Grinding – The DF83 grinds faster than most other single-dose grinders.
- Minimalist Design – Its clean and sturdy look complements any countertop setup.
- Bellow & Hopper System – A rubber bellow and hopper setup helps reduce retention by clearing grounds from the chute.
- Versatile Grind Range – It delivers consistent results for espresso, filter, and coarse brews.
- Mod-Friendly – The grinder supports user modifications for enhanced performance.



Color: Black

Product Parameters

Rated Power 550W
 Rated Voltage/Frequency 220V~ 60Hz
 N.W/G.W 10.8kg/12.8kg
 Unit/CTN
 250x150x450mm/560x310x250mm



DLC
Flat Burr 83MM



Stepless Grind Size
Adjustment



50g Bean
Hopper Capacity



Manual
Grinding

₱ **34,599.00**

Ex-Vat

PROFESSIONAL COFFEE GRINDER



Core Function

- Adjustable Speed – 800–1800 RPM for brew-specific tuning
- 64mm DLC Flat Burrs – Consistent, long-lasting performance
- 400W Brushless Motor – Powerful, quiet, and low heat
- Stepless Adjustment – Precise control for all brew types
- Low Retention, Single Dose – Keeps coffee fresh
- Built-in Ionizer – Anti-static design reduces mess
- Aluminum Alloy Body – Durable and modern build



Color: Black

Product Parameters

- Rated Power 400W/800–1800 RPM
- Rated Voltage/Frequency 220V~ 60Hz
- N.W/G.W 5.3kg/6.5kg
- Unit/CTN
- 317x110x320mm/385x170x400mm



DLC Flat Burr 64MM



Stepless Grind Size Adjustment



50g Bean Hopper Capacity



Manual Grinding

₱ **26,880.00**

Ex-Vat

PROFESSIONAL COFFEE GRINDER

**THE NEW DF64 IS
SO MUCH BETTER!**



Core Function

- Low Retention, Single-Dose Design – Streamlined workflow with near-zero retention; no purging or mess
- Exceptional Value – Premium 64mm Italian DLC flat burrs and a powerful motor at an affordable price
- Fast Grinding – Outpaces competitors in the 64mm class, even faster than the Niche Zero
- Flat Burr Advantage – Delivers rich flavor and clarity preferred by many espresso enthusiasts
- Sleek & Minimalist Design – Compact, durable, and stylish—perfect for any coffee setup
- Rubber Bellow – Helps clear out remaining grounds for cleaner dosing
- Versatile Grind Range – Consistent results from espresso to filter and coarse grind



Color: Black | White

Product Parameters

- Rated Power 250W
- Rated Voltage/Frequency 220V~ 60Hz
- N.W/G.W 7.7kg/9.5kg
- Unit/CTN
- 225x130x300mm/320x210x400mm



Red Ti
Flat Burr 64MM



Stepless Grind Size
Adjustment



50g Bean
Hopper Capacity



Manual
Grinding

₱ **18,599.00**

Ex-Vat

PROFESSIONAL COFFEE GRINDER

SMALL... BUT GREAT!



Core Function

- Plasma Generator – Reduces static for cleaner, smoother grinding
- Anti-Popcorn Disc – Prevents bean jump for faster grinding
- 58mm Dosing Cup – Food-grade, transparent plastic; fits most portafilters
- Zero Retention – Less than 0.1g retention without using a bellow
- Stepless Adjustment – Chrome dial with metal indicator for precise espresso tuning
- Bean Capacity – Holds 20g (no bellow) or 50g (with bellow)
- Durable Build – Aluminum body with a sleek powder-coated finish



Color: Black | White

Product Parameters

- Rated Power 150W
- Rated Voltage/Frequency 220V~ 60Hz
- N.W/G.W 4.5kg/5.5kg
- Unit/CTN
- 340x114x178mm/400x190x210mm



Stainless Steel
Flat Burr 54MM



Stepless Grind Size
Adjustment



50g Bean
Hopper Capacity



Manual
Grinding

₱ **12,599.00**

Ex-Vat

HOME-USE COFFEE GRINDER

SILENCER COMMERCIAL BLENDER





Model	M16	9003
Power	220V/1800W	220V/1800W
Pitcher Size	1.5L	2L
Weight	8.0Kg	8.5Kg
Size	290*285*540mm	320*280*525mm
Price (vat-ex)	13,999.00	15,999.00

- Patented technology with pre-programs on speed and time.
- High-grade streamlined enclosure for reducing the noise by more than 60%.
- DIY programmable setting for achieving the desired end result perfectly.
- LED display showing the speed & time for quick and easy operation.
- High-speed blade for achieving finely mixing result.
- Triple safety protection
- Pure Copper Motor - Powerful horsepower



Partner with



KORYAIKO





EQUIPMENT:

- Coffee Cart 1400×700×1950 mm
- Elegant design, made of full metal.
- Recommend with G3148B and G9015C Coffee Grinder
- Including all the accessories- tamper, portafilter, knock-box, tamping mart, weight scale, cleaning brush, pitchers
- Consumables (Coffee Beans, Milk, Sauce, Syrups and Powders)

SERVICE:

- Staff Training (Coffee Shop Barista Workflow 3-4 pax)
- Menu and Product Development (Costing, measurement, and procedures)



Php 125K ONLY

START YOUR BUSINESS NOW!



Brewing anywhere



BrewMobile



Fast ROI



Local Warranty

KORYAIKO
COFFEE PROFESSIONAL

Let's brew unforgettable moments together!

Your Event, But Caffeinated!

THE
**twelve
28TH**
COFFEE

Save the moment with every cup.
매 순간을 한 잔의 커피 함께 즐기세요.

The Twelve 28th Coffee Cart Package

Book us for weddings, birthdays, reunions, corporate events, and Christmas parties.
Let's brew unforgettable moments together!

Message us at FB: *The Twelve 28th* or Call us at +63 9667728427

RUX ELECTRIC MOBILITY

K14



**Coffee that moves
you – literally**

let's brew on the wheels



EQUIPMENT:

- RT1000 FT-EV Equipped with a 1000W permanent magnet motor, 60V58Ah lead-acid battery, and 18-tube controller, it offers a 70km range and 37km/h top speed.
- Features include 2955×1045×1680 mm dimensions, LED lights, digital display, drum brakes, hydraulic front and leaf spring rear suspension, and 3.75-12 tubeless tires.
- Recommend with G3148B and G9015C Coffee Grinder
- Including all the accessories- tamper, portafilter, knock-box, tamping mart, weight scale, cleaning brush, pitchers
- Consumables (Coffee Beans, Milk, Sauce, Syrups and Powders)

SERVICE:

- Staff Training (Coffee Shop Barista Workflow 3-4 pax)
- Menu and Product Development (Costing, measurement, and procedures)

Php 250K ONLY

START YOUR BUSINESS NOW!



EV up to 70km



Brewing anywhere



Fast ROI



Local Warranty



check more accessories on <https://koryaiko.com/product-category/accessories/>





Follow Us

-  koryaiko.com
-  [koryaikophilippine](https://www.instagram.com/koryaikophilippine)
-  [Koryaiko philippine](https://www.facebook.com/Koryaiko.philippine)
-  [koryaiko](https://www.tiktok.com/koryaiko)

Showroom

The Strip Mall, Circulo Verde, Quezon City
Open Hours: 10 AM to 9 PM, Monday to Sunday

Riverbanks Mall, Marikina (In front of Timezone)
Open Hours: 10 AM to 9 PM, Monday to Sunday

G/F, District A Gov. M. Cuenco Ave, Cebu City
Open Hours: 10 AM to 8 PM, Monday to Sunday

Pink Walters Building, Ecoland, Davao City
Open Hours: 10 AM to 8 PM, Monday to Sunday

Service Center

Unit 3, 88 Eulogio Amang Rodriguez Avenue,
Santolan, Pasig City, Metro Manila
Open Hours: Monday to Saturday, 8 AM to 5 PM

Call/Text/Viber/WhatsApp: 0945 840 0188

Email: sales@koryaiko.com
Telephone: 02 8848 9547

