



Your Strategic Partner in Coffee Excellence

Gemilai®

THE 일미이왕
**twelve
28TH**
COFFEE

KORYAIK
COFFEE PROFESSIONAL

DF64
COFFEE

MILEST

Together, **LET'S BREW**



About Koryaiko

Since 2018, Koryaiko has been the trusted leader in the Philippines, bridging the gap between world-class equipment and passionate brewers.

As the Official Distributor of Gemilai, Milesto, and DF64, we guarantee 100% authentic units with full technical support.

Our Product Range

From home espresso setups to high-volume commercial café systems, we provide the complete spectrum: machines, precision grinders, and accessories.

Koryaiko offers a complete spectrum of equipment for both home and commercial use. Every product is carefully chosen to balance innovation, quality, and design—making us the preferred partner nationwide.

Our Vision

More than a distributor, Koryaiko is dedicated to building a strong coffee community. We aim to inspire excellence by combining aesthetic appeal with functional performance, helping our partners craft unforgettable coffee moments.

With adaptability, efficiency, and passion at our core, we strive to go beyond expectations—serving as a true partner in your coffee journey.



OFFICIAL

DISTRIBUTOR

Gemilai®

MILEST

DF64
COFFEE



Showroom

The Strip Mall, Circulo Verde, Quezon City
10 AM to 9 PM, Monday to Sunday

Riverbanks Mall, Marikina City
10 AM to 9 PM, Monday to Sunday

G/F, District A Gov. M. Cuenco Ave, Cebu
10 AM to 8 PM, Monday to Sunday

Pink Walters Building, Ecoland, Davao City
Open Hours: 10 AM to 8 PM, Monday to Sunday

Service Center

Unit 3, 88 Eulogio Amang Rodriguez Avenue,
Santolan, Pasig City, Metro Manila
Monday to Saturday, 8 AM to 5 PM

Contact Us

Email: sales@koryaiko.com
Telephone: 02 8848 9547
Call/Viber/WhatsApp: 0945 840 0188



Follow Us

koryaiko.com [koryaikophilippine](https://www.instagram.com/koryaikophilippine) [Koryaiko Philippine](https://www.facebook.com/KoryaikoPhilippine) [koryaiko](https://www.tiktok.com/koryaiko)

开启智萃时代

锅炉系统2代升级

互联 支持在线驱动

自定义编程与储存



Commercial-use Espresso Machine



Gemilai®
Let's catch up



Color: Ivory White / Gray

Core Function

- Complex multi-boiler system, with a patented flagship boiler system
- Dual saturated E61 group head with precise temperature control, ensures accurate extraction temperature
- Variable pressure controlled by flow adjustment rod, allowing manual adjustment of pre-infusion / extraction pressure
- Convenient preset parameters like extraction temperature, flow, pre-infusion time, etc.
- Dual steam modes (manual / automatic) for flexible switching
- Streamlined design with illuminated back panel

Product Parameters

- Rated Power 4700W
- Rated Voltage/Frequency 220V~ 60Hz
- N.W/G.W
- 62.5kg/76.7kg
- Unit/CTN
- 768x487x582mm/860x728x745mm



300mL Brew
Boiler*2



10.5L Heat Exchanger
Steam Boiler



Saturated E61
Group Head*2



58mm Commercial
Brewing System



Rotary Pump



Dual PID Temperature
Control



Touch Screen
Display*2



Coffee Pressure Gauge*2
Steam Pressure Gauge
Pump & External
Water Pressure Gauge

₱ **195,999.00**
Ex-Vat

COMMERICAL-USE COFFEE MACHINE



Color: Cloud White / Titanium Gray

Core Function

- Multi-boiler system, dual brew boiler with independent temperature control
- Equipped with complex group head, water seamlessly pass, reducing the temperature loss during extraction
- New flow meter for programmable extraction doses, ensuring consistent quality for cafés
- Convenient preset parameters like extraction temperature, pre-infusion time, hot water time, etc.
- Adjustable extraction time, with switchable electronic / manual control modes
- Steam handle switch for effortless operation
- Minimalist design with LED side panel light and illuminated logo

Product Parameters

- Rated Power 4200W
- Rated Voltage/Frequency 220V~ 60Hz
- N.W/G.W
- 54.7kg/67.3kg
- Unit/CTN
- 678x550x528mm/838x682x641mm



550mL Brew
Boiler*2



5.5L Heat Exchanger
Steam Boiler



Complex Group
Head*2



58mm Commercial
Brewing System



Rotary Pump



Dual PID Temperature
Control



Touch Screen
Display*2



Coffee Pressure Gauge
Steam Pressure Gauge

₱ **129,999.00**
Ex-Vat

COMMERICAL-USE COFFEE MACHINE



Core Function

- Dual boiler system, independent heating for extraction and steam
- Equipped with complex group head, water seamlessly pass, reducing the temperature loss during extraction
- New flow meter for programmable extraction doses, ensuring consistent quality for cafés
- Convenient preset parameters like extraction temperature, extraction flow, pre-infusion time, hot water time, etc.
- Adjustable extraction time, with switchable electronic / manual control modes
- Steam handle switch for effortless operation
- Minimalist design with LED side panel light and illuminated logo

Product Parameters

- Rated Power 3200W
- Rated Voltage/Frequency 220V~ 60Hz
- N.W/G.W
- 43.6kg/51.8kg
- Unit/CTN
- 473x550x528mm/682x650x641mm



Color: Cloud White



550mL Brew
Boiler



5.5L Heat Exchanger
Steam Boiler



Complex Group
Head



58mm Commercial
Brewing System



Rotary Pump



Dual PID Temperature
Control



Touch Screen
Display



Coffee Pressure Gauge
Steam Pressure Gauge



Core Function

- Complex heat exchanger boiler system with complex group head, precise temperature control and exceptional continuous coffee production
- Equipped with complex group head, water seamlessly pass, reducing the temperature loss during extraction
- Convenient preset parameters like extraction temperature / extraction flow / hot water time, etc.
- Multi functional control panel buttons for better tactile sensation, with programmable parameters to create the perfect coffee shop SOP
- Universal rotary steam wand with dry steam supports different types of frothing techniques and encourages all kinds of latte art
- Dual pressure gauge for easy reading of steam and extraction pressure



Product Parameters

- Rated Power 4200W
- Rated Voltage/Frequency 220V~ 50/60Hz
- N.W/G.W
- 52.5kg/63.6kg
- Unit/CTN
- 850x565x525mm/940x645x690mm

Color: Ink Black



550mL Brew
Boiler*2



10.5L Heat Exchanger
Steam Boiler



Complex Group
Head *2



58mm Commercial
Brewing System



Rotary Pump



Dual PID Temperature
Control



Display
Screen*2



Coffee Pressure Gauge
Steam Pressure Gauge

₱ **156,000.00**
Ex-Vat

COMMERICAL-USE COFFEE MACHINE



Color: Black | White

Core Function

- Multi-boiler system, dual brew boiler with independent temperature control
- Equipped with complex group head, water seamlessly pass, reducing the temperature loss during extraction
- Convenient preset parameters like extraction temperature, extraction time, hot water time, etc.
- Multifunctional control panel buttons for better tactile sensation
- Coffee and steam pressure gauges for easy reading of extraction and steam pressure
- Universal rotary steam wand with dry steam supports different types of frothing techniques and encourages all kinds of latte art

Product Parameters

- Rated Power 4200W
- Rated Voltage/Frequency 220V~ 60Hz
- N.W/G.W
- 44.7kg/55.7kg
- Unit/CTN
- 816x504x500mm/895x560x605mm



550mL Brew
Boiler*2



5.25L Heat Exchanger
Steam Boiler



Complex Group
Head *2



58mm Commercial
Brewing System



Rotary Pump



Dual PID Temperature
Control



Display
Screen*2



Coffee Pressure Gauge*2
Steam Pressure Gauge

₱ **115,000.00**
Ex-Vat

COMMERICAL-USE COFFEE MACHINE


NEW


Color: Titanium Grey | Ivory White

Core Function

- Complex dual boiler system with saturated group head, 2nd-generation flagship boiler system
- New AquaTouch System
- 2.1-inch full-color round LCD display with new UI design
- Supports smart app control for remote operation, custom programming, and curve recording
- Integrates manual dynamic extraction, parameter adjustment, and full-process curve recording into one powerful tool - ideal for rapid flavor testing and development
- Physical buttons for a supercar-inspired tactile control experience
- Rapid-Tactile Preview Module is designed as the core interactive component for professional coffee machines
- Removable water tank (2.5 L) & automatic water supply and drainage system

Product Parameters

- Rated Power 2800W
- Rated Voltage/Frequency 220V~ 60Hz
- N.W/G.W
- 32kg/39kg
- Unit/CTN
- 344x498x394 mm/610x440x640 mm


 800mL Brew
Boiler

 2L Heat Exchanger
Steam Boiler

 Saturated Group
Head

 58mm Commercial
Brewing System

 Stepless Variable
Speed
Rotary Pump

 Dual PID Temperature
Control

 2.1-Inch LCD
Display

 RTP Pressure
Adjustment Knob

₱ **135,000.00**
 Ex-Vat

COMMERICAL-USE COFFEE MACHINE

Multi-use Espresso Machine





Core Function

- Complex dual boiler system with independent temperature control allows simultaneous coffee extraction and milk frothing
- Saturated E61 group head with precise temperature control, ensures accurate extraction temperature
- Variable pressure adjusted by handle, explore diversified flavors with different formulas
- Convenient preset parameters like extraction temperature, steam temperature, pre-infusion time, etc.
- Premium walnut wood decorative accessories, presenting exquisite stainless steel vacuum plating technique
- Removable water tank (2.5L) & automatic water supply and drainage system



Color: Titanium Grey

Product Parameters

- Rated Power 2900W
- Rated Voltage/Frequency 220V~ 50/60Hz
- N.W/G.W
- 28.5kg/36.2kg
- Unit/CTN
- 316x420x522mm/625x415x589mm



300mL Brew
Boiler



2L Heat Exchanger
Steam Boiler



Saturated E61
Group Head



58mm Commercial
Brewing System



Rotary Pump



Dual PID Temperature
Control



Touch Screen
Display



Coffee Pressure Gauge
Steam Pressure Gauge

₱ **105,000.00**
Ex-Vat

MULTI-USE COFFEE MACHINE


NEW


Color: Ivory White | Rock Gray

Core Function

- Dual boiler with independent temperature control, allowing simultaneous coffee extraction and milk frothing
- Equipped with complex group head, water seamlessly pass, reducing the temperature loss during extraction
- Rotary pump, ensuring reliable durability
- Automatic preset milk frothing temperature; NTC temperature sensor, expert in making latte
- Convenient preset parameters like extraction temperature / time / pre-infusion time, etc.
- Removable water tank(2.5L) & automatic water supply and drainage system

Product Parameters

- Rated Power 2500W
- Rated Voltage/Frequency 220V~ 60Hz
- N.W/G.W
- G3148B:23.3kg/29.8kg
- Unit/CTN
- 351x476x392mm/490x485x630mm



550mL Brew Boiler



1L Steam Boiler



Complex Group Head



58mm Commercial Brewing System



Rotary Pump



Dual PID Temperature Control



Touch Screen Display


 Coffee Pressure Gauge
Steam Pressure Gauge

₱ **69,000.00**
Ex-Vat

MULTI-USE COFFEE MACHINE



Core Function


- Heat exchanger boiler system allows simultaneous coffee extraction and milk frothing
- E61 group head maintains consistent heat, offering more stable extraction
- Convenient preset parameters like boiler temperature, pre-infusion time, etc.
- Commercial 3-hole strong steam, flexible steam settings (manual or auto mode)
- Black walnut wood meets stainless steel, a collision of textures, an aesthetic design
- Removable water tank (1.7L) & automatic water supply



Product Parameters

- Rated Power 2050W
- Rated Voltage/Frequency 220V~ 60Hz
- N.W/G.W
- 23.6kg/29.9kg
- Unit/CTN
- 286x395x443mm/565x404x597mm

Color: Metallic Silver



₱ **59,899.00**
Ex-Vat

MULTI-USE COFFEE MACHINE



Core Function


- Heat exchanger boiler system, allowing simultaneous coffee extraction and milk frothing
- E61 group head maintains consistent heat, offering more stable extraction
- Adjustable dual-mode OPV: preset pressure before extraction & manual pressure control during extraction
- Convenient preset parameters like boiler temperature/pre-wetting time/pre-infusion time, etc.
- Commercial 3-hole strong steam for higher frothing efficiency and richer milk foam
- Removable water tank (1.5)

Product Parameters

- Rated Power 2050W
- Rated Voltage/Frequency 220V~ 60Hz
- N.W/G.W
- 19.1kg/23.9kg
- Unit/CTN
- 228×423×354.5 mm/565×404×597mm



Color: IVORY WHITE MIDNIGHT BLACK METALLIC SILVER



₱ **56,899.00**
 Ex-Vat

MULTI-USE COFFEE MACHINE



Core Function

- Hybrid boiler system, allowing simultaneous coffee extraction and milk frothing
- Thermal balance group head balances temperature to minimize extraction differences
- Various adjustable parameters: extraction temperature, extraction time, water flowing to coffee bed time, soaking time
- Steam controlled by an NTC temperature sensor; automatic preset for milk frothing temperature
- 1L steam boiler and adjustable steam temperature
- Design of independent hot water nozzle, hot water time can be adjusted
- 2.5L water tank and/or automatic water supply and drainage system

Product Parameters

- Rated Power 2900W
- Rated Voltage/Frequency 220V~ 60Hz
- N.W/G.W
- 15.7kg/21.9kg
- Unit/CTN
- 288x418x430mm/492x350x570mm



Color: Silver | White | Black



Brew
Thermoblock



1L Steam Boiler



Thermal Balance
Group Head



58mm Commercial
Brewing System



Vibration Pump



Dual PID Temperature
Control



Touch Screen
Display



Coffee Pressure Gauge

₱ **42,599.00**
Ex-Vat

MULTI-USE COFFEE MACHINE



Core Function

- Dual boiler system, independent heating for extraction and steam
- Equipped with complex group head, water seamlessly pass, reducing the temperature loss during extraction
- Convenient preset parameters like extraction temperature / flow / pre-infusion time, etc.
- Coffee and steam pressure gauge are displayed independently, clearly visible at a glance
- Commercial 3-hole strong steam for higher frothing efficiency and richer milk foam
- Removable water tank (1.7L) & automatic water supply and drainage system

Product Parameters

- Rated Power 2350W
- Rated Voltage/Frequency 220V~ 60Hz
- N.W/G.W
- 22.6kg/27.5kg
- Unit/CTN
- 358x478x467mm/565x461x577mm



Color: Black | White



550mL Brew
Boiler



1L Steam Boiler



Complex
Group Head



58mm Commercial
Brewing System



Vibration Pump



Dual PID Temperature
Control



Touch Screen
Display



Coffee Pressure Gauge
Steam Pressure Gauge

₱ **40,999.00**

Ex-Vat

MULTI-USE COFFEE MACHINE

Home-use Espresso Machine





Core Function

- Dual pump for parallel heating, making coffee and milk froth simultaneously
- Preset milk frothing temperature, hands-free convenience
- 2-min refreshing cold brew. Powered by an exclusive system
- OPV control for steady pressure extraction
- 60 mm flat burr grinding system with 30-scale grind settings, suitable light, medium, and dark roasts
- Convenient preset parameters like extraction & milk frothing temperature/pre-infusion & grinding time, etc.
- Removable Water Tank (1.5L capacity)

Product Parameters

- Rated Power 3200W
- Rated Voltage/Frequency 220V~ 60Hz
- N.W/G.W
- 15.5 kg /18kg
- Unit/CTN
- 318×350×404 mm/365x399x497mm



Color: Ivory White / Rock Gray



Brew
Thermoblock



Steam
Thermoblock



Vibration Pump*2



Dual PID Temperature
Control



60 mm Flat Burr
coffee grinder



Touch Screen
Display



58mm Commercial
Brewing System



Coffee Pressure Gauge

₱ **38,899.00**
Ex-Vat

MULTI-USE COFFEE MACHINE



Core Function

- Hybrid Boiler System with dual 2550W heaters
- Dual Pumps for parallel heating – brew espresso and froth milk simultaneously
- Adjustable Dual-Mode OPV for stable pressure control
- Preset Milk Frothing Temperature for hands-free convenience
- Advanced Group Head Design minimizes temperature loss during extraction
- Convenient Preset Parameters: extraction temperature, steam temperature, water pre-infusion time, soaking time, etc.
- Portafilter Options: comes with a 58mm white oak double spout portafilter and a bottomless portafilter for flexibility
- Removable Water Tank (1.7L capacity)

Product Parameters

- Rated Power 2550W
- Rated Voltage/Frequency 220V~ 60Hz
- N.W/G.W
- 14kg/18kg
- Unit/CTN
- 265×335×376mm/365×399×497mm



Color: Ivory White / Rock Gray



550ml Brew boiler



Steam Thermoblock



Complex Group Head



58mm Commercial Brewing System



Vibration Pump*2



Dual PID Temperature Control



Touch Screen Display



Coffee Pressure Gauge

₱ 34,899.00

Ex-Vat

MULTI-USE COFFEE MACHINE



Color: Cloud White

Core Function

- Independent thermoblock heats up, one thermoblock for brew, two thermoblocks for steam functions
- Digital display screen & coffee pressure gauge, designed to give a clear view of the extraction
- Adjustable extraction time
- Automatic pre-infusion function
- Made with 4 easy-to-use round mechanical buttons, start brewing with a simple touch
- Removable water tank (1.7L)

Product Parameters

- Rated Power 3000W
- Rated Voltage/Frequency 220V~ 60Hz
- N.W/G.W
- 14kg/18kg
- Unit/CTN
- 338x328x479mm/465x399x497mm

Stainless Steel Body

Brew Thermoblock

Steam Thermoblock *2

58mm Commercial Brewing System

Vibration Pump

NTC Temperature Sensor

Touch Screen Display

Coffee Pressure Gauge

₱ **29,899.00**
Ex-Vat

MULTI-USE COFFEE MACHINE



Core Function

- Dual instant thermoblocks, delivering stronger performance, faster heating, and more stable extraction
- Dual pumps support simultaneous coffee extraction & milk steaming
- Equipped with Thermal Balance Group Head to minimize temperature fluctuations during brewing
- Adjustable pre-wetting & pre-infusion system for improved flavor extraction
- Dual PID temperature control ensures consistent coffee and steam output
- Touch Screen Display + Coffee Pressure Gauge for precise monitoring and easy adjustments
- Extended universal stainless steel steam wand with a 2-hole steam nozzle, easy to control and powerful for microfoam
- Convenient preset parameters such as extraction time, pre-infusion time, and descaling options
- Removable water tank (1.7 L) for ease of use

Product Parameters

- Rated Power 3000W
- Rated Voltage/Frequency 220V~ 60Hz
- N.W/G.W
- 12.4kg/15kg
- Unit/CTN
- 247×395×409mm/325x439x495mm



Color: Cloud White/ Metallic Silver



Thermal Balance
Group Head



Brew
Thermoblock



Steam
Thermoblock



58mm Commercial
Brewing System



Vibration Pump



PID Temperature
Control



Touch Screen
Display



Coffee Pressure Gauge

₱ **27,899.00**
Ex-Vat

MULTI-USE COFFEE MACHINE


NEW


Color: Ivory White / Metallic Silver

Core Function

- A powerful 1700 W instant thermoblock, improved machine performance, more
- stable coffee production, and stronger steam
- Thermal balance group head balances temperature to minimize extraction differences, and the PTC heating and insulation function, start or stop as needed
- 2-Min refreshing cold brew. Powered by our exclusive, patented system
- OPV control for steady pressure extraction, with auto pressure relief at 11~12 bar
- Convenient preset parameters like hot brew & cold brew time/hot brew & steam temperature/pre-wetting & pre-infusion time, etc.
- Extended universal stainless steel steam wand & 2-hole steam nozzle, easy to control
- Removable water tank (1.7 L)

Product Parameters

- Rated Power 1700W
- Rated Voltage/Frequency 220V~ 60Hz
- N.W/G.W
- 7.8 kg/11.2 kg
- Unit/CTN
- 247×370×407 mm/448×292×554 mm


 Thermal Balance
Group Head

 Brew
Thermoblock


Vibration Pump


 PID Temperature
Control

 Steam
Thermoblock

 Touch Screen
Display

 58mm Commercial
Brewing System


Coffee Pressure Gauge

G3003B



Color: Stainless Steel

Core Function

- A smart digital touch screen, fully equipped with extraction/steam/hot water functions
- 2nd Gen pre-Infusion system: adjust the pre-wetting and pre-infusion time separately
- Visual coffee pressure gauge: monitors extraction pressure dynamics at a glance
- The upgraded double-layer pressurized filter basket(double cup) improves extraction efficiency
- Convenient preset parameters like extraction temperature/automatic extraction time/hot water time, etc.
- The 1-hole steam nozzle delivers moderate, stable steam flow, which is easier for beginners to control
- Removable water tank (1.7L)

Product Parameters

- Rated Power 1350W
- Rated Voltage/Frequency 220-240V~ 60Hz
- N.W/G.W
- 5.4kg/7.8kg
- Unit/CTN
- 220x308x315mm/264x465x378mm



Stainless Steel Body



Brew Thermoblock



Vibration Pump



NTC Temperature Sensor



Steam Thermoblock



58mm Commercial Brewing System



Touch Screen Display



Coffee Pressure Gauge



₱

11,499.00

Ex-Vat

HOME-USE COFFEE MACHINE



Core Function

- Independent thermoblock heats up, allowing one-click switching between coffee extraction and steam functions
- Digital display screen & coffee pressure gauge, designed to give a clear view of the extraction
- Adjustable extraction time
- Automatic pre-infusion function
- Made with 4 easy-to-use round mechanical buttons, start brewing with a simple touch
- Removable water tank (1.7L)



Product Parameters

- Rated Power 1450W
- Rated Voltage/Frequency 220-240V~ 60Hz
- N.W/G.W
- 4.5kg/6.5kg
- Unit/CTN
- 257x342x294mm/286*230*315mm

Color: Cloud White



Hard Plastic Body



Brew Thermoblock



Steam Thermoblock



58mm Commercial Brewing System



Vibration Pump



NTC NTC Temperature Sensor



Touch Screen Display



Coffee Pressure Gauge

₱ **9,899.00** Ex-Vat

HOME-USE COFFEE MACHINE

Gemilai® COFFEE GRINDERS

Popular
Ivory White



Minimalist
Stainless Steel



All-Match
Cotton Cloud White




NEW

Core Function

- 60 mm stainless steel flat burr
- 0~12 level (60-scale) adjustment disk with rotary adjustment
- 80 g bean hopper capacity
- Built-in Plasma Generator, anti-static technology prevents powder splashing
- Touch-sensor grinding, sloped powder pouring
- Smart touch screen display with timed dosing



Color: Misty Grey | Ivory White

Product Parameters

- Rated Power 160W
- Rated Voltage/Frequency 220V~ 50/60Hz
- N.W/G.W
- 3.24 kg/6.5 kg
- Unit/CTN
- 104×223×313 mm/405×306×188 mm


 Stainless Steel
Conical Burr

 12-level Grind Size
Adjustment

 80g Bean
Hopper Capacity

 Touch-sensor
Grinding

 ₱ **10,899.00**

Ex-Vat

HOME-USE COFFEE GRINDER



Core Function

- 64mm stainless steel flat burr
- 0-10 level (50-scale) adjustment disk with push button adjustment
- 280g bean hopper capacity
- Equipped with an additional single dose hopper airblower, it can be used for storing beans and cleaning residual powder
- Built-in Plasma Generator, anti-static technology prevents powder splashing
- Timed grinding for single cup/ double cup
- Equipped with an additional plastic dosing cup, perfectly fits the portafilter holder



Product Parameters

- Rated Power 250W
- Rated Voltage/Frequency 220V~ 60Hz
- N.W/G.W 5.4kg/7kg
- Unit/CTN
- 175x367x226mm/464x286x240mm

Color: Misty Grey | Cotton Cloud White | Ivory White



Stainless Steel
Flat Burr 64MM



10-level Grind Size
Adjustment



250g Bean
Hopper Capacity



Touch-sensor
Grinding


NEW


Color: Misty Grey | Ivory White

Core Function

- 64 mm stainless steel flat burr with DLC coating
- 1-11 level (50-scale) adjustment disk with rotary adjustment
- 450 g bean hopper capacity
- Equipped with an additional single dose hopper air blower, it can be used for storing beans and cleaning residual powder
- Built-in Plasma Generator, anti-static technology prevents powder splashing
- Equipped with an additional stainless steel dosing cup, perfectly fits the filter holder
- Timed grinding for single cup/double cup

Product Parameters

- Rated Power 350W
- Rated Voltage/Frequency 220V~ 60Hz
- N.W/G.W 9 kg/10.1 kg
- Unit/CTN
- 174×260×471 mm/525×315×225 mm


 Stainless Steel
Flat Burr 64MM

 10-level Grind Size
Adjustment

 450g Bean
Hopper Capacity

 Touch-sensor
Grinding

 ₱ **22,599.00**

Ex-Vat

COMMERCIAL COFFEE GRINDER

HOW TO MAKE COFFEE

with an

Espresso Machine



Use Good Water

Fill up your water reservoir. The best is spring water, but distilled water works too.



Power On

Turn on the espresso machine and ensure the boiler is hot.

The light on your machine will indicate when the machine is ready.



Dose Coffee

Use 14-18 grams of coffee beans for an espresso double. Use 7-9 grams for a solo. You can still use volumetric dosing, by weighing the scoops.



Grind Coffee

Grind your coffee finely.

The grind size is smaller than for drip coffee. The grind size is comparable to table salt, for a comparison.



Fill Portafilter

Dump your coffee grounds in the portafilter, aiming to distribute them evenly in the filter basket.

Lightly tap the portafilter to achieve perfect distribution.



Tamp It

Give it a good tamp, aim for about 30 pounds of pressure.



Start Brewing

Lock the portafilter onto the brew head of your machine and press the brew button.



Pull the Shot

Aim for a 25 seconds extraction time. Depending on how fine is coffee ground, this can vary up and down by 5 seconds.

MILEST





Core Function

- Smart touch LCD screen
- Smart systems within reach
- Pure Copper Boiler, more stable temperature control
- Four-hole steam nozzle
- Design of double-steam foam tube rod-key hot water
- Professional double group head coffee machine
- Take over sewage storage plate, simple and user-friendly design
- Professional-grade coffee maker for cafes/restaurants

Product Parameters

- Rated Power 4350W
- Rated Voltage/Frequency 220V~ 50/60Hz
- N.W/G.W
- 65kg/79kg
- Unit/CTN
- 600x420x700mm/750x560x832mm

Color: Silver & Wood



1.2L Brew Boiler



10L Steam Boiler



Saturated Group Head *2



58mm Commercial Brewing System



Rotary Pump



PID Temperature Control*3



Manual Brewing



Coffee Pressure Gauge
Steam Pressure Gauge

₱ **219,760.00**
Ex-Vat

COMMERICAL-USE COFFEE MACHINE



Core Function

- LED Screen to monitor the brewing , steam timer and settings
- Pure Copper Boiler, more stable temperature control
- Four-hole steam nozzle
- Dual boiler single group head
- Design steam foam tube and rod-key hot water
- Take over sewage storage plate, simple and user-friendly design
- Professional-grade coffee maker for cafes/restaurants

Product Parameters

- Rated Power 2550W
- Rated Voltage/Frequency 220V~ 50/60Hz
- N.W/G.W
- 40kg/55kg
- Unit/CTN
- 360x420x380mm/490x560x520mm



Color: Wood-Silver | Wood-White | Black- Silver



1L Brew
Boiler



3.2L Steam Boiler



Saturated Group
Head



58mm Commercial
Brewing System



Rotary Pump



PID Temperature
Control*3



Manual Brewing



Coffee Pressure Gauge
Steam Pressure Gauge


₱ **85,000.00**
Ex-Vat

COMMERICAL-USE COFFEE MACHINE



VFE converter system

- 4 sets of high-precision international valves
- 2 sets of high and low-pressure valves imported from Italy
- 2 sets of pure copper 4-way



Core Function

- Dual Copper Boiler System – 0.85L brewing boiler + 1.8L steam boiler for enhanced thermal stability.
- Rotary Pump (9 bar) – Equipped with VED Italy technology for consistent pressure and smooth extraction.
- VFE Converter System – Optimized performance for improved water flow control.
- LCD Water Flow Control – Achieve ultimate precision with adjustable settings.
- 99.9% Coupling Efficiency – Ensures a tight and secure fit for long-term durability.
- Affordable & High Quality – Get premium performance without breaking the bank

Product Parameters

- Rated Power 1750W
- Rated Voltage/Frequency 220V~ 50/60Hz
- N.W/G.W
- 32kg/49kg
- Unit/CTN
- 286x429x345mm/350x560x420mm



Color: Black | Cloud White



0.85L Brew
Boiler



1.8L Steam Boiler



Saturated Group
Head



58mm Commercial
Brewing System



Rotary Pump



PID Temperature
Control*3



Manual Brewing



Coffee Pressure Gauge
Steam Pressure Gauge

₱ **82,999.00**
Ex-Vat

COMMERICAL-USE COFFEE MACHINE



Core Function

- Dual copper boiler for steaming and water
- Steam is designed to be placed DIRECTLY on the GROUP HEAD to help maintain a more stable temperature
- Preinfusion adjustable
- 3 holes steam jet nozzle with 360 rotating design
- With a barometer, one can know the pressure when making coffee, the other monitor the steam and hot water
- Stainless steam and water pipe for cappuccino and hot water
- Removable drip tray for easy cleaning;
- Top cover cup-warming plate and adjustable non-slip feet

Product Parameters

- Rated Power 2550W
- Rated Voltage/Frequency 220V~ 50/60Hz
- N.W/G.W
- 40kg/54kg
- Unit/CTN
- 320x440x450mm/380x560x490mm



Color: Wood | White



1L Brew
Boiler



2.5L Steam Boiler



Saturated Group
Head



58mm Commercial
Brewing System



Rotary Pump



PID Temperature
Control*3



Manual Brewing



Coffee Pressure Gauge
Steam Pressure Gauge

₱ **79,000.00**
Ex-Vat

COMMERICAL-USE COFFEE MACHINE



Core Function

- Rotary Pump: stable pressure for consistent extraction.
- Dual copper boiler for steaming and water
- Variable Flow Extraction (VFE): more control for richer flavours
- Digital Display: adjust your settings easily for your perfect cup.
- 3 holes steam jet nozzle with 360 rotating design
- With a barometer, one can know the pressure when making coffee, the other monitor the steam
- Adjustable Temperature & Pre-Infusion: fine-tune your shot every time
- Removable drip tray for easy cleaning;
- Top cover cup-warming plate and adjustable non-slip feet

Product Parameters

- Rated Power 2550W
- Rated Voltage/Frequency 220V~ 50/60Hz
- N.W/G.W
- 31.7kg/40kg
- Unit/CTN
- 303x420x405mm/420x500x450mm

Color: Black Yellow | White Coffee



0.75L Brew
Boiler



1.8L Steam Boiler



Saturated Group
Head



58mm Commercial
Brewing System



Rotary Pump



PID Temperature
Control*3



Auto Brewing



Coffee Pressure Gauge
Steam Pressure Gauge



Core Function

- Dual copper boiler for steaming and water
- Steam is designed to be placed DIRECTLY on the GROUP HEAD to help maintain a more stable temperature
- Preinfusion adjustable
- 3 holes steam jet nozzle with 360 rotating design
- With a barometer, one can know the pressure when making coffee, the other monitor the steam
- Stainless steam and water pipe for cappuccino and hot water
- Removable drip tray for easy cleaning;
- Top cover cup-warming plate and adjustable non-slip feet

Product Parameters

- Rated Power 2400W
- Rated Voltage/Frequency 220V~ 50/60Hz
- N.W/G.W
- 35kg/44kg
- Unit/CTN
- 470x300x500mm/520x400x550mm



Color: Wood | White



0.65L Brew Boiler



1.5L Steam Boiler



Rotary Pump



PID Temperature Control*3



Saturated Group Head



Manual Brewing



58mm Commercial Brewing System



Coffee Pressure Gauge
Steam Pressure Gauge

₱ **68,000.00**
Ex-Vat

COMMERICAL-USE COFFEE MACHINE



Core Function

- Dual boiler system
- 540CC pure copper boiler
- Same time brewing and steaming
- LCD Screen display temperature and timer
- Adjustable Pre infusion and Brewing Temperature
- OPV Outside Design which allow you to adjust the brewing pressure easily
- 3 Hole steam tip, more dry and strong stream
- Independent Hot Water

Product Parameters

- Rated Power 2550W
- Rated Voltage/Frequency 220V~ 50/60Hz
- N.W/G.W
- 20kg/28kg
- Unit/CTN
- 340x340x360mm/400x400x490mm



Color: Wood | White



0.54L Brew Boiler



Steam Thermoblock



Saturated Group Head



58mm Commercial Brewing System



Vibration Pump



Dual PID Temperature Control



Manual Brewing



Coffee Pressure Gauge

₱ **34,599.00**
Ex-Vat

MULTI-USE COFFEE MACHINE



Core Function

- PID precise temperature control, commercial pre-soaking technology
- Coffee Boiler + Independent Steam Pipe. Separate boilers for coffee extraction and steam ensure temperature stability
- External OPV Adjustment & "Magic Hand" Function + LCD Display
- Powerful milk steaming; Froth milk time is 20-30 sec
- LCD display, removable 3L water tank, and compact footprint for flexible placement
- Embedded Brewing Head. It can reduce temperature loss and keep the best temperature and taste of coffee
- Stainless steel body with copper components for enhanced heat retention and long life
- New Metal Plating Toggle Switch

Product Parameters

- Rated Power 2450W
- Rated Voltage/Frequency 220V~ 50/60Hz
- N.W/G.W
- 16kg/20kg
- Unit/CTN
- 290x290x350mm/380x400x450mm



Color: White | Black



0.52L Brew
Boiler



Steam
Thermoblock



Saturated Group
Head



58mm Commercial
Brewing System



Vibration Pump



Dual PID Temperature
Control



Magic Brewing



LED Pressure Gauge

₱ **30,899.00**
Ex-Vat

PROFESSIONAL COFFEE MACHINE

The grinder

**THE SOUL OF
ESPRESSO**

**NEW**

Color: Black | White

Core Function

- Grind by Weight, Direct weight dosing helps improve consistency and reduces unnecessary coffee waste.
- 83mm DLC Flat Burr
- Brushless Motor, Designed for stable power, quieter operation and longer service life.
- Adjustable RPM, Adjustable speed from 600 to 1800 RPM to suit different coffee beans and grinding requirements.
- Full-Color Touchscreen
- Large 1.5kg Bean Hopper
- Adjustable Portafilter Holder
- Supports convenient hands-free grinding directly into the portafilter.

Product Parameters

- Rated Power 400W/600-1680RPM
- Rated Voltage/Frequency 220V~ 60Hz
- N.W/G.W 10kg/12kg
- Unit/CTN
- 350 × 230 × 670mm/455x380x235mm


 DLC
 Flat Burr 84MM

 Stepless Grind Size
 Adjustment

 1.5kg Bean
 Hopper Capacity

 Auto Led
 Grinding

 ₱ **46,599.00**

Ex-Vat

COMMERCIAL COFFEE GRINDER



Core Function

- Heavy-Duty Commercial Build – Designed to endure the rigors of cafés, roasteries, and high-volume environments
- Grind-by-Weight Precision – Delivers accurate, consistent dosing with minimal mess
- 74mm Italian Steel Burrs – Optimized for exceptional grind uniformity and flavor clarity
- Lower Burr Adjustment – Enhances alignment and reduces retention for more consistent results
- High-Output Motor – Effortlessly grinds 10–19 kg per hour for peak performance
- Low Retention Design – Minimizes coffee waste and maximizes flavor integrity



Color: Black | White

Product Parameters

- Rated Power 450W | 1400 RPM
- Rated Voltage/Frequency 220V~ 60Hz
- N.W/G.W 15.5kg/18.5kg
- Unit/CTN
- 410 × 250 × 635 mm/610 × 280 × 430 mm



Italy Steel
Flat Burr 74MM



Stepless adjustment



1.2kg Bean
Hopper Capacity



Auto Led Grinding
by time/ weight

₱ **39,899.00**
Ex-Vat

COMMERCIAL COFFEE GRINDER

Commercial use

COFFEE GRINDER

ZF83

FAST GRINDING



Core Function

- Hopper capacity holds up to 1000 grams of beans
- Touchscreen display enables easy operation and settings control
- Grinds 10–15 kg of coffee per hour efficiently
- Micro adjust knob provides precise grind size control
- Stepless settings allow infinite grind size adjustments
- Motor includes a thermal protector to prevent overheating
- Temperature and humidity sensors ensure optimal grinding conditions
- Automatically grinds single and double shots with additional monitoring displays



Color: Black | White

Product Parameters

- Rated Power 500W
- Rated Voltage/Frequency 220V~ 60Hz
- N.W/G.W 12.6kg/14.6kg
- Unit/CTN
- 320x160x625mm/550x235x495mm



DLC
Flat Burr 83MM



Stepless Grind Size
Adjustment



1kg Bean
Hopper Capacity



Auto Led
Grinding

₱ **38,949.00**
Ex-Vat

COMMERCIAL COFFEE GRINDER



Core Function

- Adjustable Grind-by-Weight – Set precise grind durations for consistent dosing
- On-Demand Grinding – Select from automatic single, double shot, or manual mode
- High-Precision Adjustment – Micro-adjust knob allows fine control over grind size
- Thermally Protected Motor – Ensures long-lasting, stable performance
- Grind Temperature Display – Monitor the coffee powder temperature in real time
- Adjustable Portafilter Holder – Fits various portafilter sizes for hands-free grinding



Product Parameters

- Rated Power 350W
- Rated Voltage/Frequency 220V~ 60Hz
- N.W/G.W 13kg/15kg
- Unit/CTN
- 160x290x510mm/220x310x590mm

Color: Black | White



DLC
Flat Burr 64MM



Stepless Grind Size
Adjustment



1.2kg Bean
Hopper Capacity



Auto Led
Grinding
by time/ weight

₱ **29,899.00**

Ex-Vat

COMMERCIAL COFFEE GRINDER



Core Function

- High-Sensitivity LCD Display with durable toughened glass
- Automatic Cup Counter to track the number of grind cycles
- Real-Time Display of temperature, humidity, and date
- Maintenance Reminders for burr replacement and cleaning
- Multifunction Interface with multiple language options for user-friendly operation
- Illuminated Grind Chute for clear visibility during use
- Premium 64mm Flat Burrs, imported from Italy, for precise and consistent grinding
- Four Grinding Modes: Standard, Automatic, Pre-Set, and Manual Selection



Color: Black | White

Product Parameters

- Rated Power 350W/1400 RPM
- Rated Voltage/Frequency 220V~ 60Hz
- N.W/G.W 12.5kg/14kg
- Unit/CTN
- 300x210x560mm/364x250x620mm



Italy Steel
Flat Burr 64MM



100 fine adjustment
scales



1.2kg Bean
Hopper Capacity



Auto Led
Grinding

₱ **25,000.00**
Ex-Vat

COMMERCIAL COFFEE GRINDER



Core Function

- 250W Brushless Motor
- Professional 64mm Flat Burrs
- Four Adjustable Grinding Speeds, Choose the appropriate grinding speed according to your coffee beans and workflow:
- Smart Color Touchscreen, The easy-to-use touchscreen provides quick access to grinding modes and machine settings
- Automatic and Manual Grinding
- Precision Grind Adjustment, Rotate the numbered grind adjustment collar to select finer or coarser coffee grounds for different brewing requirements.
- 1000g Large Bean Hopper
- Hands-Free Portafilter Grinding
- Durable Aluminum Body



Color: Black | White

Product Parameters

- Rated Power 250W/1200 / 1400 / 1600 / 1800 RPM
- Rated Voltage/Frequency 220V~ 60Hz
- N.W/G.W 5kg/6kg
- Unit/CTN
- 250 × 170 × 500mm/450x300x620mm



Stainless Steel
Flat Burr 64MM



Adjustable Grinding
Speeds



1000g Bean
Hopper Capacity



Auto Led
Grinding

₱ **16,499.00**

Ex-Vat

COMMERCIAL COFFEE GRINDER



Core Function

- Heavy-duty die-cast aluminum body
- Powered by low speed, high torque silent motor
- Stainless steel powder outlet port
- 3.5" touch screen LCD display
- Real-time monitoring and humidity display
- Operated by touch screen or micro switch
- Set the grind time for single cup and double cup manually, with an average grinding speed of 1.5-2.5 grams per second
- Stepless Setting, more realizable and accurate



Color: Black | White

Product Parameters

- Rated Power 250W/2000 RPM
- Rated Voltage/Frequency 220V~ 60Hz
- N.W/G.W 5.5kg/6.5kg
- Unit/CTN
- 220x140x470mm/254x150x520mm



Stainless Steel
Flat Burr 64MM



8-Level Grind Size
Adjustment



1KG Bean
Hopper Capacity



Auto Led
Grinding

₱ **12,899.00**

Ex-Vat

COMMERCIAL COFFEE GRINDER



Color: Black | White

Core Function

- Powerful 300W Motor, Provides reliable grinding performance for daily commercial or home use.
- Large 1000g Bean Hopper
- Precision Grind Adjustment, Easily adjust the grind size for different brewing methods:
- Smart Touch Control Panel, Select single-cup, double-cup or manual grinding mode through the easy-to-use touch panel.
- Adjustable Grinding Timer, Customize and save the grinding time for consistent single or double doses.
- Portafilter-Activated Grinding, Place the portafilter into the adjustable holder and press the activation switch for convenient hands-free grinding.
- Automatic Stop, The grinder automatically stops when the programmed grinding time is complete.

Product Parameters

- Rated Power 300W/2000 RPM
- Rated Voltage/Frequency 220V~ 60Hz
- N.W/G.W 5.5kg/6.5kg
- Unit/CTN
- 210 × 140 × 500cmmm/254x150x520mm



Stainless Steel
Flat Burr 64MM



8-Level Grind Size
Adjustment



1KG Bean
Hopper Capacity



Auto Led
Grinding



Core Function

- Brushless DC Motor & Variable Speed – Adjustable from 300 to 1600 RPM for full control over grinding speed
- High Torque Quiet Start – Powerful motor designed to handle light beans without stalling
- Plasma Generator (Ionizer) – Reduces static buildup in the exit chute
- Prebreaker Auger – Maintains consistent bean feeding, especially at lower RPMs
- Anti-Popcorn Disc – Minimizes bean movement to improve grinding efficiency
- True Zero Retention – Retains less than 0.1 gram of grounds without the need for a bellows.
- Stepless Adjustment – Large dial for precise grind size control from fine to coarse
- Quiet Performance – Engineered for low noise operation



Color: Black

Product Parameters

- Rated Power 680W/300-1600 RPM
- Rated Voltage/Frequency 220V~ 60Hz
- N.W/G.W 8.85kg/10kg
- Unit/CTN
- 125x55x135mm/400x200x430mm



DLC
Flat Burr 83MM



Stepless Grind Size
Adjustment



50g Bean
Hopper Capacity



Manual
Grinding

₱ **42,599.00**

Ex-Vat

PROFESSIONAL COFFEE GRINDER



Core Function

- Low Retention (Single Dose) – The DF83's streamlined design minimizes ground retention, ensuring fresh coffee with every dose.
- Great Value – It's one of the most affordable 83mm flat burr grinders on the market.
- Fast Grinding – The DF83 grinds faster than most other single-dose grinders.
- Minimalist Design – Its clean and sturdy look complements any countertop setup.
- Bellow & Hopper System – A rubber bellow and hopper setup helps reduce retention by clearing grounds from the chute.
- Versatile Grind Range – It delivers consistent results for espresso, filter, and coarse brews.
- Mod-Friendly – The grinder supports user modifications for enhanced performance.

Product Parameters

Rated Power 550W
 Rated Voltage/Frequency 220V~ 60Hz
 N.W/G.W 10.8kg/12.8kg
 Unit/CTN
 250x150x450mm/560x310x250mm



Color: Black



DLC
Flat Burr 83MM



Stepless Grind Size
Adjustment



50g Bean
Hopper Capacity



Manual
Grinding

₱ **34,599.00**
 Ex-Vat

PROFESSIONAL COFFEE GRINDER



Core Function

- Adjustable Speed – 800–1800 RPM for brew-specific tuning
- 64mm DLC Flat Burrs – Consistent, long-lasting performance
- 400W Brushless Motor – Powerful, quiet, and low heat
- Stepless Adjustment – Precise control for all brew types
- Low Retention, Single Dose – Keeps coffee fresh
- Built-in Ionizer – Anti-static design reduces mess
- Aluminum Alloy Body – Durable and modern build



Color: Black

Product Parameters

- Rated Power 400W/800–1800 RPM
- Rated Voltage/Frequency 220V~ 60Hz
- N.W/G.W 5.3kg/6.5kg
- Unit/CTN
- 317x110x320mm/385x170x400mm



DLC
Flat Burr 64MM



Stepless Grind Size
Adjustment



50g Bean
Hopper Capacity



Manual
Grinding

₱ **26,880.00**
Ex-Vat

PROFESSIONAL COFFEE GRINDER

THE NEW DF64 IS SO MUCH BETTER!



Core Function

- Low Retention, Single-Dose Design – Streamlined workflow with near-zero retention; no purging or mess
- Exceptional Value – Premium 64mm Italian DLC flat burrs and a powerful motor at an affordable price
- Fast Grinding – Outpaces competitors in the 64mm class, even faster than the Niche Zero
- Flat Burr Advantage – Delivers rich flavor and clarity preferred by many espresso enthusiasts
- Sleek & Minimalist Design – Compact, durable, and stylish—perfect for any coffee setup
- Rubber Bellow – Helps clear out remaining grounds for cleaner dosing
- Versatile Grind Range – Consistent results from espresso to filter and coarse grind



Color: Black | White

Product Parameters

- Rated Power 250W
- Rated Voltage/Frequency 220V~ 60Hz
- N.W/G.W 7.7kg/9.5kg
- Unit/CTN
- 225x130x300mm/320x210x400mm



Red Ti
Flat Burr 64MM



Stepless Grind Size
Adjustment



50g Bean
Hopper Capacity



Manual
Grinding

₱ **18,599.00**

Ex-Vat

PROFESSIONAL COFFEE GRINDER

SMALL... BUT GREAT!



Core Function

- Plasma Generator – Reduces static for cleaner, smoother grinding
- Anti-Popcorn Disc – Prevents bean jump for faster grinding
- 58mm Dosing Cup – Food-grade, transparent plastic; fits most portafilters
- Zero Retention – Less than 0.1g retention without using a bellow
- Stepless Adjustment – Chrome dial with metal indicator for precise espresso tuning
- Bean Capacity – Holds 20g (no bellow) or 50g (with bellow)
- Durable Build – Aluminum body with a sleek powder-coated finish



Color: Black | White

Product Parameters

- Rated Power 150W
- Rated Voltage/Frequency 220V~ 60Hz
- N.W/G.W 4.5kg/5.5kg
- Unit/CTN
- 340x114x178mm/400x190x210mm



Stainless Steel
Flat Burr 54MM



Stepless Grind Size
Adjustment



50g Bean
Hopper Capacity



Manual
Grinding

₱ **12,599.00**

Ex-Vat

HOME-USE COFFEE GRINDER

SILENCER COMMERCIAL BLENDER





Model	M16	9003
Power	220V/1800W	220V/1800W
Pitcher Size	1.5L	2L
Weight	8.0Kg	8.5Kg
Size	290*285*540mm	320*280*525mm
Price (vat-ex)	13,999.00	15,999.00

- Patented technology with pre-programs on speed and time.
- High-grade streamlined enclosure for reducing the noise by more than 60%.
- DIY programmable setting for achieving the desired end result perfectly.
- LED display showing the speed & time for quick and easy operation.
- High-speed blade for achieving finely mixing result.
- Triple safety protection
- Pure Copper Motor – Powerful horsepower



partner with



KORYAIKO





EQUIPMENT:

- Coffee Cart 1400×700×1950 mm
- Elegant design, made of full metal.
- Recommend with G3148B and G9015C Coffee Grinder
- Including all the accessories- tamper, portafilter, knock-box, tamping mat, weight scale, cleaning brush, pitchers
- Consumables (Coffee Beans, Milk, Sauce, Syrups and Powders)

SERVICE:

- Staff Training (Coffee Shop Barista Workflow 3-4 pax)
- Menu and Product Development (Costing, measurement, and procedures)



Php 125k ONLY

START YOUR BUSINESS NOW!



Brewing anywhere



BrewMobile



Fast ROI



Local Warranty



Let's brew unforgettable moments together!

Your Event, But Caffeinated!

THE twelve 28TH COFFEE
Save the moment with every cup
매 순간을 한 잔의 커피와 함께 즐기세요

The Twelve 28th Coffee Cart Package

Book us for weddings, birthdays, reunions, corporate events, and Christmas parties.
Let's brew unforgettable moments together!

Message us at FB: The Twelve 28th or Call us at +63 9667728427

RUX ELECTRIC MOBILITY

K14



**Coffee that moves
you – literally**

let's brew on the wheels



EQUIPMENT:

- RT1000 FT-EV Equipped with a 1000W permanent magnet motor, 60V58Ah lead-acid battery, and 18-tube controller, it offers a 70km range and 37km/h top speed.
- Features include 2955×1045×1680 mm dimensions, LED lights, digital display, drum brakes, hydraulic front and leaf spring rear suspension, and 3.75-12 tubeless tires.
- Recommend with G3148B and G9015C Coffee Grinder
- Including all the accessories- tamper, portafilter, knock-box, tamping mart, weight scale, cleaning brush, pitchers
- Consumables (Coffee Beans, Milk, Sauce, Syrups and Powders)

SERVICE:

- Staff Training (Coffee Shop Barista Workflow 3-4 pax)
- Menu and Product Development (Costing, measurement, and procedures)

Php 250K ONLY

START YOUR BUSINESS NOW!



EV up to 70km



Brewing anywhere



Fast ROI



Local Warranty



